3.5 MIRE POND FILL STUDY SITE

3.5.1 Qualitative Site Description

Physical description. Most of this site (Figure 10) is composed of historically altered upland areas (nonwetlands) dominated by pines and shrubs. The total area of the site is about 7 ha. The only wetlands associated with this site are a fringe along Mire Pond and two small areas of isolated wetlands near State Route 2126. About one-third of the site has been recently altered through clearing of the understory and filling of wetland fringe up to Mire Pond. This part of the site lies at the southwestern edge adjacent to Mire Pond Scrub/Shrub System Study Site.

<u>Definitions.</u> The WIA consists of the site as outlined by the EPA and as described in the section above. The basin for




Figure 10. Map of Mire Pond Fill Site WIA showing wetland (w) and upland (u) areas. Major outlet is indicated by arrow that depicts the direction of water movement from the site.

this site includes Mire Pond and Fowling Gut up to the point where it empties into Chincoteague Bay. The sub-watershed for the site consists of the upland pine, emergent fringe marsh, and shrub-dominated areas which immediately surround Mire Pond and Fowling Gut to the exit into Chincoteague Bay.

Oualitative vegetation description. The wetland areas which lie along Mire Pond are dominated by Spartina patens, Distichlis spicata, and some S. alterniflora. The higher parts of this wetland consist of a shrub zone consisting of Myrica, Iva, and some Baccharis. Sections of the wetland lying nearest the study site which have been altered by limited filling are dominated by Phragmites. The upland areas are dominated by pine, small oaks, shrubs such as Myrica and sumac (Rhus sp.), and a variety of less common shrubs.

Wetland classification. The wetlands adjacent to Mire Pond are estuarine emergent and estuarine scrub/shrub, while the two isolated interior wetlands are palustrine scrub/shrub.

<u>Wildlife use.</u> The upland areas appear to be used by passerine birds and a variety of small mammals. The estuarine wetlands and Mire Pond are used seasonally by waterfowl and shorebirds. Mire Pond is probably an important nursery area for fishes because of its connection to the estuary through Fowling Gut. The small palustrine wetlands are probably utilized by small mammals and passerine birds (we made no direct observations in these areas).

Hydrologic functions. During wet periods this site drains from the upland areas down into Mire Pond and through Fowling Gut to Chincoteague Bay. This drainage is in the form of sheet flow and is probably very limited. During dry periods the wetland fringe exchanges limited quantities of water with Mire Pond by tidal action. On the uplands most drainage occurs below the surface and vertically within the site. For these reasons, the site probably has moderate potential for ground-water recharge and nutrient retention, but relatively moderate to low value for flood storage.

<u>Substrate</u>, water salinity. Soils in the upland areas are largely sandy and sandy loams. Soils underlying the wetlands and Mire Pond are sand with a thin layer of surface organic matter. Salinities in Mire Pond probably range seasonally from 10 to 25 ppt.

3.5.2 Adamus and Stockwell Evaluations: Mire Pond Fill Site

Summary Sheet D

This form is the appropriate place for recording the ratings that result from use of the interpretation procedures and keys in Sections 2.1.2, and 2.2.2. As each analysis is completed, enter its rating (high, moderate, or low; or A, B, or C) in the relevant box until all boxes for functions of interest are filled.

Begin by labeling the context of the analysis (pre- or post- construction, with or without mitigation, name of basin and WIA). Then enter the data, using the numbered footnotes to help locate the associated analyses. For the evaluation of each function's Effectiveness, enter whichever rating is higher--That for the basin or that for the WIA. The evaluation of the impact vector is optional.

BASIN	v	VIA	F	PROJECT	
EVALUATION TIME FRAME (PRE	E/POST)		_ MITIGATION PLAN #		
FUNCTION	EFFECTIVENESS'	OPPORTUNITY	FUNCTIONAL RATING	SIGNIFICANCE	FUNCTIONAL SIGNIFICANC
GROUND WATER RECHARGE	low	moderate	low	moderate	1ow
GROUND WATER DISCHARGE	low.		10w	high	low
FLOOD STORAGE	hìgh	high	high	moderate	high
SHORELINE ANCHORING	moderate	low	moderate	moderate	moderate
SEDIMENT TRAPPING	moderate	high	high	high	very high
NUTRIENT RETENTION LONG-TERMI" SEASONAL"	moderate moderate	high high	high high	high	very high very high
FOOD CHAIN SUPPORT DOWNSTREAM ¹² IN-BASIN ¹³	moderate moderate		moderate moderate	moderate	moderate moderate
FISHERY HABITAT WARMWATER** COLDWATER**	low		low		low
COLDW.RIVERINE" ANADROMOUS RIV SPECIES" C1 Win F1 **	moderate		moderate	moderate	moderate
WILDLIFE HABITAT GENERAL DIVERSITY* WATERFOWL GP."] WATERFOWL GP." 2 SPECIES** Black Duck SPECIES** Common Egret SPECIES**	moderat low summer low summer high	low winter low winter low winter		moderate	moderate low low high
ACTIVE RECREATION** SWIMMING BOAT LAUNCHING POWER BOATING CANOEING SAILING	low low low moderate low		low low low moderate low	moderate	low low low moderate low
PASSIVE RECREATION AND HERITAGE** IMPACT VECTOR RATING**				moderate	moderate

FCOTNOTES

These entries will be based on analyses in the following parts of Volume II (numbers correspond to footnotes above):

¹⁻Forms A, A1 (p. 6, 51); 2-Section 2.1.2.2. (p. 97); 3-Forms B, B1 (p. 38, 54); 4-Section 2.1.2.2. (p. 97); 5-Interpretation key in Section 2.1.2.1. p. 57; 6-p. 59; 7-p. 60; 8-p. 62; 9-p. 64; 10-p. 67; 11-p. 67; 12-p. 69; 13-p. 71; 14-p. 73; 15-p. 75; 16-p. 79; 17-p. 80; 18-p. 84; 19-p. 91; 20-p. 92; 21-p. 93.

^{*} Blue Fish, Hard Clam, Winter Flounder

Mire Pond Fill Site

Response Sheet A1

THRESHOLD ANALYSIS: FUNCTIONAL OPPORTUNITY AND EFFECTIVENESS

This sheet is the appropriate place for recording the responses to corresponding questions in Form A. A "yes" (Y). or "no" (N) response must be circled for all parts of each question, even when the response seems obvious. This response sheet has two major columns--"WIA" and "BASIN", and within each of these, three subcolumns entitled "I", "W", and "D", which address, when relevent, the seasonal changes in some of the predictors, as follows:

itolumn responses are those addressing
either (a) the average annual condition, or
(b) the condition intermediate between the
wettest and driest annual conditions (e.g.,
late June in most Prairie pothole wetlands),
or (c) the condition of maximum annual
standing crop of wetland plants, or (d) if
tidal, the average daily mid-tide condition.

W column responses are those addressing what the area would look like (a) during the wettest time of an average year, or (b) if the area is tidal, what it would look like during an average daily high tide (flooded) condition.

O column responses are those addressing what the area would look like during either the driest time of the year (questions pertaining to hydrology) or if the question pertains to vegetation, then during the dormant time of the year. If the area is tidal, "O" refers to its daily low tide (exposed) condition.

For example, question 2.1.1 should first be asked and answered in the context of the WIA's (wetland impact area's) average condition, then in terms of its wettest condition, then the basin's average condition, and finally the basin's wettest condition. This should then be repeated for question 2.1.2. Because no Y/N choice is given in either "D" column, the area's dry or dormant condition need not be evaluated for this question. Similarly, some questions will require responses only for the WIA or basin, but not both.

Q	AIW C W X	BASIN R W D	
Office	-type Data Y 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
1.2 1.3 1.3.1		\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	4

Mire Pond Fill Site

MIX	MSIN	1		
0. 4 1 W D	i i v O	<u> </u>		
2.1.1 ON ON 2.1.2 YOU YOU 2.2.1 YOU YOU 2.2.2 ON ON		See Cor	mment form	\
3.1 3.?	Q.	see	comment	form
4.1 OH 4.2 YO				
5.1	Y (B)	See	Comment	form
6.1 (VI				
7.1 7.2	YAYN	See C	omment	form
8.1	Q N		omment f	
9.1	YN	See	comment	form
10.1 Y N 10.2 Y N 10.3 Y N 10.4 Y N				
11.1 Y (B)				
11.2 ON 12.1 YN NA 12.2 YN NA	4			
13.1 13.2	YN NA			
14. Y Y 15.1 ØX	Y (ID)			
15.2 Y			ص	
16. V N				
17.1 Y 60 17.2 Y 63				
18. Y (W)				
20.	Y 🚳			
21.1 Y (0) 21.2 Y (0) 21.2 Y (0) 21.4 Y (0) 21.5 Y (0) 21.5 Y (0)		See	Comment	torm
Field-type Data				_
22.1 Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y	3 5666666 6066636			
22.2 22.2.1 Y Y Y Y				1

Mire Pond Fill Site

Q. J. R. WIA	NIZAS D V B	
22.2.2 YGO YGO	YOU YOU	
22.2.2 YCD YCD 22.2.3 Y(R) YCD 22.2.4 YCB YCD 22.2.5 YCB YCD 22.3 YCB YCD	Y (T) Y (T)	
22.2.5 YO YOU	760 Y60	
1 22.3.1 YOU YAG	1 60 160	
] 22.3.2 YW YAD	YOD YOU	
22.3.3 YW YW 22.3.4 YR YW	Y (CD Y (T)	
22.4 ON ON 22.4.1 ON ON	* 80 * 450 * 100	
1 72.4.2 Y (N) Y (N)	1 (Q) 1 (Q)	
22.6 Y W Y W	ON ON	
	YC	} See comment form
23.1 10 23.2 10 23.3 01 23.4 10 23.5 10	38	
23.4 YOU 23.5 YOU	O C	
23.6 Y	78	
23.7 YOU 23.8 YOU	78	
23.9 YO	70	/
23.6 Y		} See Comment form
24.3 01 01 10		
24.4 YO YO YO 24.5 YO YO YO YO		
24.6 Y (50) Y (50) Y (50)		
25.1 (D) 25.2 (Q) 25.3 (Q)		
	Ϋ́Ф	
26.2 Y 26.3 Y 27.		
26.4 Y W	100	
26.6 Y 🚳	78	خبرو
26.7 Y Y 26.8 Y 26.8		
26.9 Y 🕶	Ø I	
26.10 26. 11	Y (85)	
27.1 27.2 Y N MA	YN NA	
28.1	Y 60 Y 60 Y N	
29. NA	Y N	
30.1 (7 H 30.2 Y (8)		
31.1 Y N A/A		
31.1 31.2 32.1 32.1 32.2 70 70 70 32.3 70 70 70 70 32.4 70 70 70 70 32.5 70 70 70 70 70 70 70 70 70 70	######################################	
32.2 YAD YAD YAD 32.3 YAD YAD		
32.4 Y Y Y Y		
32.6 YOU YAO YAO		
32.1 PH PH PH 32.2 YE YE YE YE 32.3 YE YE YE YE 32.4 YE YE YE 32.5 YE YE YE 32.6 YE YE YE 32.7 YE YE YE 32.8 YE YE YE YE		
32.0	ישטינשוים די	

Mire Pond Fill Site

0. # R W D	BASIN 0	
33.1 YØY YØY YØY 33.2 ØN	644 66666 644 66666 644 66666 644 66666 645 64666 646 64666	
34.1 OH OH OH OH OH 34.2 YE	3665-6966-6966-6966-6966-6966-6966-69666-69666-69666-69666-6966-6966-6966-6966-6966-6966-6966-6966-6966-6966-6	
35.1 (Y)N (Y)N 35.2.1 35.2.2 35.2.3		
36. (Y) N	(I) H	see comment form
37.1 Y(3)		
35.1 35.2 YN YN NA	THE THE HE	See Comment form
39.1 Y N MA 39.2 Y N MA 39.3 Y O 39.4 Y O 39.5 ON	Ø₩	see comment form
40. Y N Y N A A A A A A A A A A A A A A A A	######################################	
12:1 OH OH OH OH 12:2 YOU		
43. ON YH OH 44.1	OF COX	
144.2	ON ON	
1		
46.2 Y N M/A 46.3 O L		
47.1 Y 2)		
47.2 Y (1) Y (1)		
48.1 Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y		4

Mire Pond Fill Site

					0400		7	-				
0.	1	WIA W	9		E MSII	N D	1					
49.1		<u> </u>			7(D) 7 (D)		1					
49.2	Ø N	ØN.	(D) N		Y (V)							
50. 51.	Un	N CO					1					
Detaile	-d No+			1								
Decerin							 		<u> </u>			
52.1.1	Y 47	NA		İ			17	See comm	gent	form	4	
52.2.1 52.2.2	φį̈́	•		1					i			
52.2.2 53.1	YW	17-					+-				 	
53.2	YN	N/A							<u> </u>			
54.1	YH	NA		İ					•			
54.2 55.	YO						1					
56.	OH					N/A	+-	See com	nent	forn	 	
57.2	YO										1	
57.3 57.4	¥88			1			1				1	
33.1	YN	1114				<u></u>	7	Sez comme	n+	form		
58.2 58.3	YNYN	NA		1			17	عود سارماه	1```	70	İ	
58.4	Y N						4					
59.1 59.2		4	/A		H			See Com	ment	form	1	
59.3			<u>/^</u>		N		<u> </u>		ľ			
60.1 60.2		4	A	Y	Ħ	1 4		Su c	mme	ent for	ł m	
60.3					X	····	1_		L		<u> </u>	
61.1	YN	4	MA					See	Comr	nent	form	
61.2 62. 63.1	YA		V/A				1					
63.1 63.2			•	j	NA	YX	1					
64.	(3)				N/A	YA	7-	see Co	nmer	of for		
65. 66.1	(T)	7 1	//.			YX	+	See Co		1 4-		
66.2		Y	NA			YH	 					
67.1 67.2		YI	1 <u>M/A</u>			Y N		See Co	mme	nt for	<u> </u>	
68.1 68.2	YX		NA			YA		see c	omme	ent for	m	
Deri ved				- 			1	:				
1		יטוואנו	_				1	İ				
69.1 69.2	YN											
70.1 .	Y N											
70.2	N Y						<u> </u>					
71.2	YN					After	respo	inses to all	possib	ie ques	tions (Form	A)
72.1 72.2	YN					have	been	recorded at	bove. t	urn to	Form 8 (pa	ae I
73.1	KY					(in S	ection	1. 2.1.2) t	option) o inte	return rpret t	to this shee he above m	
73.2	Y 4					sponse		- · · · · ·		·		-
74.2	YN											
75.1 75.2	YN									1		T
_,,,,								1				

Mire Pond Fill Site

Response Sheet B1

THRESHOLD ANALYSIS: SIGNIFICANCE

This sheet is the appropriate place for recording the responses to the corresponding questions in Form B. Circle Y (yes) or N (no), being careful to note that the order of Y and N below frequently reverses.

```
General
                                            Nutrient
 1.1 (0 y
1.2 (0 y
1.3 (0 y
                                            Retention
 1.4
                                            39.
                                            40.
                                            41.
42.
 1.6
                                            Fish Food Chain/
                                            Habitat
4.
                                            43.
 6.
7.
                                            46.
8.
                                            47.
9.
                                            48.
                                           49.
                                           50.
                                           51.
52.
53.
            See Comment
                                           Wildlife
                                           Habitat
Flood
                                           55.
                                           56.
                                           57.
58.
                                           59.
                                           60.
           see comment form
                                           Active
                                           Recreation
                                           61.
62.
                                                Ø<sub>N</sub>
Shoreline
Anchorina
                                           63.
23.
                                           64.
                                           65.
25.
26.
                                           66.
      ¥
(8)
(9)
                                                          see comment
27.
28.
     \bigcirc
29.
                                           68.
                                           69.
                                                       See comment form
Sed iment
                                           70.
Tr apping
                                          71.
72.
73.
74.
75.
76.
31.
```

Form "A" Comme	ents (Mire Pond Fill Site)
2.2	Basin's outlet is constricted where the Fowling Gut Pond enters the dredged portion of Fowling Gut (and overly restricted culvert at county road 2112 and 2114)
3.1-3.2	Sinuous because "basin" includes all of Fowling Gut below Mire Pond
5.2	See site map (Figure 10) and definitions for this site
7	Predictor not used
8	Sub-watershed = upland surrounding Mire Pond and Fowling Gut to Chincoteague Bay
9	Predictor not used
21	Refers strictly to the wetlands in WIA (see Methods section)
23.1-23.9	Sediments are sand with shallow layer of porous organic
24	This is an estimate because we lack salinity measurements during droughts
36	No measurements; we have estimated
38	Culvert at county road 2112 and 2114 causes flow blockage at outlet
39.5	Culverts at roads 2112 and 2114 probably restrict access by estuarine fish to some extent
39.6	Significant contribution of freshwater comes from storm water runoff from developed areas (through Fowling Gut) to our basin
52.1	No measurements
52.2	Refers to only wetland areas; Spartina present
56	No data

61

64

66

No data

Tidal

Estimate.

No data

No data

No data

No data

58

59

60

67	No	data
68	No	data

	ents (Mire Pond Fill Site, Mire Pond Scrub-Shrub- ion and Mire Pond Scrub-Shrub-Palustrine Portion)
1	See comments for Chincoteague Ridge/Swale and High School East Sites (there probably will be development in <u>upland areas</u> of the site)
2	See comments for Ridge/Swales and High School East sites.
9	Palustrine portion of Mire Pond Scrub/Shrub site is viewed as a significant recharge area
12	Groundwater discharge from Mire Pond fill and Mire Pond Scrub-Shrub sites probably influences salinity in Fowling Gut and therefore affects sport and commercial fishes in Fowling Gut
13	Discharge from Mire Pond fill and Mire Pond Scrub- Shrub sites probably dilutes septic tank outflow
19	Flooding enhances access by fishes and waterfowl
4 4	Mire Pond fill and estuarine portion of Mire Pond Scrub-Shrub sites contain brackish marshes with estuarine connectiona prime nursery area
45	Mire Pond fill and estuarine portion of Mire Pond Scrub-Shrub have anadromous fishcoastal mid-Atlantic
67	Mire Pond fill and estuarine portion of Mire Pond Scrub-Shrub have impacts upon Fowling Gut which affect active recreation, i.e., fishing, crabbing
21	Estuarine Portion of Mire Pond Scrub-Shrub site flooded daily, not as valuable for flood storage and desynchronization
71	In palustrine portion of Mire Pond Scrub-Shrub sites freshwater swale wetlands considered relatively rare and of scientific value